


VETMED ENGINEERING

PLEASE SEND US YOUR INQUIRIES.


E-Mail: vetmedengineering@outlook.com

Website: www.vetmedengineering.com


VETMED ENGINEERING



VETERINARY INSTRUMENTS



ARTHROSCOPY



SURGICAL
Instruments

100% *Best quality*

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

INTRODUCTION

We are always in developing new products according to our customers requirements. Our goal is to make technically demanding procedure easier, safer and reproducible. Each Instrument is preciously manufactured to the highest quality standard in Vetmed Engineering.

BRAND IDENTITY

Vetmed Engineering is serving humanity from many decades in the fields of surgery, hospitals, nurses and operating rooms.

SURGICAL INSTRUMENTS

General Surgery, Dental Surgery, veterinary Surgery, Beauty Instruments, TC Gold Instruments

NEW DEVELOPMENTS

We are always in developing new products according to our customers requirements.

OUR VISION

Translating business strategy & developing new products according to our clients and uncompromising quality, to sustain high quality standard.

OUR MOTTO THINK SAFE WORK SAFE & BE SAFE

OUR MISSION



Aiming to work with coherence of renowned global brands,

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

ARTHO SHEATH WITH TAB



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



ESMARCH
20,0 cm, 8"
22,0 cm, 8⁵/₈"



KNOWLES
14,0 cm, 5¹/₂"



BRUNS
24,0 cm, 9¹/₂"



LORENZ
23,0 cm, 9"



SMITH
(MOD. USA)

16,0 cm, 6¹/₄"
18,0 cm, 7"
20,0 cm, 8"
23,0 cm, 9"



20,0 cm, 8"



UNIVERSAL
14,0 cm, 5¹/₂"
16,0 cm, 6¹/₄"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

METZENBAUM SCISSORS




BABY-METZENBAUM
11,5 cm, 4½"



METZENBAUM
14,5 cm, 5¾"



METZENBAUM
14,5 cm, 5¾"



METZENBAUM
14,5 cm, 5¾"



METZENBAUM

18,0 cm, 7"
20,0 cm, 8"
23,0 cm, 9"
25,0 cm, 10"
28,0 cm, 11"
30,0 cm, 12"




METZENBAUM

18,0 cm, 7"
20,0 cm, 8"
23,0 cm, 9"
25,0 cm, 10"
28,0 cm, 11"
30,0 cm, 12"


E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com




GRAZIOL
13,0 cm, 5"
14,5 cm, 5³/₄"




GRAZIOL
13,0 cm, 5"
14,5 cm, 5³/₄"

MAYO SCISSORS



MAYO
14,5 cm, 5³/₄"
17,0 cm, 6³/₄"
23,0 cm, 9"
28,0 cm, 11"





MAYO
14,5 cm, 5³/₄"
17,0 cm, 6³/₄"
23,0 cm, 9"
28,0 cm, 11"



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



METZENBAUM SCISSORS



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING


E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



IRIS
11,5 cm, 4½"



UNIVERSAL
12,0 cm, 4¾"



LISTER
18,0 cm, 7"



BRUNS
24,0 cm, 9½"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



STRABISMUS
11,5 cm, 4 1/2"



JAMISON
15,0 cm, 6"
18,0 cm, 7"



REYNOLDS
12,5 cm, 5"



BABY-METZENBAUM
11,0 cm, 4 3/8"
14,5 cm, 5 3/4"



IRIS
11,0 cm, 4 3/8"



IRIS
11,0 cm, 4 3/8"



STEVENS TENOTOMY
11,0 cm, 4 3/8"



STEVENS T ENOTOMY
11,0 cm, 4 3/8"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



PAR TYPE
12,0 cm, 4³/₄"



PAR TYPE
12,0 cm, 4³/₄"



POTTS
19,0 cm, 7¹/₂"



FOMON
14,5 cm, 5³/₄"



COTTLE
16,5 cm, 6¹/₂"



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



GILLIES
15,0 cm, 6"



MC INDOE
15,0 cm, 6"



GERALD
17,0 cm, 6³/₄"



POTTS-SMITH
15,0 cm, 6"
18,0 cm, 7"
20,0 cm, 8"



BONNEY
17,5 cm, 6⁵/₈"



CUSHING
17,5 cm, 6⁵/₈"




CUSHING-TAYLOR
18,0 cm, 7"



12,0 cm, 4³/₄"



12,0 cm, 4³/₄"



15,0 cm, 6"



15,0 cm, 6"



ADSON
17,5 cm, 6⁵/₈"

E-mail: vetmedengineering@outlook.com
 Website: www.vetmedengineering.com
 Address: Wazirabad Road, Ugoki Sialkot
 Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



SCHAEDEL
9,0 cm, 3 1/2"



ENGL. MODELL
9,0 cm, 3 1/2"



JONES
5,0 cm, 2"
7,0 cm, 2 3/4"
9,0 cm, 3 1/2"



JONES
9,0 cm, 3 1/2"



BACKHAUS
9,0 cm, 3 1/2"
11,0 cm, 4 3/8"
13,0 cm, 5"



11,0 cm, 4 3/8"




ROEDER
13,0 cm, 5"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

BOZEMANN



20,0 cm, 8"



24,0 cm, 9⁵/₈"



26,0 cm, 10¹/₄"



20,0 cm, 8"



24,0 cm, 9⁵/₈"



15,0 cm, 6"



20,0 cm, 8"

HEGAR

BARRY STERNAL

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



WEITLANER-LOKTITE
10,5 cm, 4 $\frac{1}{8}$ "



WEITLANER
13,0 cm, 5"



WEITLANER
16,5 cm, 6 $\frac{1}{2}$ "



WEITLANER
20,0 cm, 8"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

Surgical Box



200 x 150 x 25 mm
260 x 180 x 30 mm
300 x 220 x 30 mm
350 x 220 x 40 mm
220 x 170 x 50 mm
280 x 200 x 50 mm
320 x 240 x 50 mm
370 x 270 x 50 mm
420 x 320 x 50 mm



All types surgical box surgical trays and surgical instruments are available

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com

www.vetmedengineering.com

ACL/PCL GRASPER

Wish Bone (Shaft 2.7, 3.4mm)



ALLIGATOR CUPPED GRASPER

Wish Bone (Shaft 2.7, 3.4mm)



E-mail: vetmedengineering@outlook.com

Website: www.vetmedengineering.com

Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com

www.vetmedengineering.com

ArthoPunch Angled

Wishbone (Shaft 2.7, 3.4mm)



ArthoPunch Blunt Grasper

4.2mm Shaft Diameter



E-mail: vetmedengineering@outlook.com

Website: www.vetmedengineering.com

Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com

www.vetmedengineering.com



ARTHREX BLUNT GRASPER

E-mail: vetmedengineering@outlook.com


Website: www.vetmedengineering.com

Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

ArthoPunch U Cutting
Wishbone (Shaft 2.7, 3.4mm)



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

ArthoPunch Teething Forceps 15° Left Shaft



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

PROBE.HOOK 5.4MM TIP.W/5 FLAT HANDLE



CROCHET HOOK



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



10,0 mm
15,0 mm
20,0 mm
25,0 mm

STILLE
20,0 cm, 8"



10,0 mm
15,0 mm
20,0 mm
25,0 mm

STILLE
20,0 cm, 8"




4,0 mm
6,0 mm
8,0 mm
10,0 mm
12,0 mm
14,0 mm

ALEXANDER
18,0 cm, 7"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com




8,0 mm	194-300-08
10,0 mm	194-300-10
12,0 mm	194-300-12
14,0 mm	194-300-14
16,0 mm	194-300-16

13,5 cm, 5³/₈"



8,0 mm	194-301-08
10,0 mm	194-301-10
12,0 mm	194-301-12
14,0 mm	194-301-14
16,0 mm	194-301-16

13,5 cm, 5³/₈"



8,0 mm	
10,0 mm	
12,0 mm	
14,0 mm	
16,0 mm	

13,5 cm, 5³/₈"



3,0 mm	
4,0 mm	
5,0 mm	
6,0 mm	

PARTSCH
13,5 cm, 5³/₈"



3,0 mm	
4,0 mm	
5,0 mm	
6,0 mm	

PARTSCH
13,5 cm, 5³/₈"




10,0 mm	
15,0 mm	
20,0 mm	
25,0 mm	

STILLE
20,0 cm, 8"

E-mail: vetmedengineering@outlook.com
 Website: www.vetmedengineering.com
 Address: Wazirabad Road, Ugoki Sialkot
 Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING


E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



ADSON
17,0 cm, 6³/₄"




8 mm



7 mm



7 mm




7 mm



KÖNIG
15,5 cm, 6"

5 mm



LAMBOTTE
21,0 cm, 8¹/₄"



10 mm



15 mm



20 mm



25 mm

12,5 mm




FARABEUF
15,0 cm, 6"



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



WATSON-CHEYNE
17,5 cm, 6⁵/₈"



MC DONALD
19,0 cm, 7¹/₂"




WILLIGER
17,0 cm, 6³/₄"



WILLIGER
16,0 cm, 6¹/₄"



LANGENBECK
20,0 cm, 8"




LANGENBECK
20,0 cm, 8"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



17,0 cm, 6³/₄"



WALTON
16,0 cm, 6¹/₄"



RADOLF
13,5 cm, 5³/₈"



13,5 cm, 5³/₈"



13,0 cm, 5"



14,0 cm, 5¹/₂"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



UNNA
14,0 cm, 5³/₄"



UNNA
14,0 cm, 5³/₄"



SAALFELD
10,0 cm, 4"



SAALFELD
14,0 cm, 5³/₄"



SCHAMBERG
10,0 cm, 4"



WALTON
14,0 cm, 5³/₄"



FOX
14,0 cm, 5³/₄"



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com

www.vetmedengineering.com



WRIGLEY
28,0 cm, 11"



SIMPSON
30,0 cm, 11³/₄"



SIMPSON-BRAUN
33,0 cm, 13"



SIMPSON-BRAUN
36,0 cm, 14¹/₈"



SIMPSON-LUIKART
36,0 cm, 14¹/₈"



DE LEE
30,0 cm, 11³/₄"



DE LEE
36,0 cm, 14¹/₈"



DE LEE
38,0 cm, 15³/₈"

E-mail: vetmedengineering@outlook.com

Website: www.vetmedengineering.com

Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



KRISTELLER
Fig. 1
Fig. 2
Fig. 3



KRISTELLER
105 x 26 mm
105 x 28 mm
105 x 33 mm



KRISTELLER
115 x 22 mm
115 x 24 mm
115 x 29 mm



KRISTELLER
Fig. 1
Fig. 2
Fig. 3



KRISTELLER
110 x 27 mm
110 x 30 mm
110 x 36 mm



KRISTELLER
115 x 23 mm
115 x 26 mm
115 x 32 mm

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



75 x 32 mm
85 x 36 mm
95 x 37 mm



CUSCO
75 x 17 mm



CUSCO
75 x 32 mm
85 x 35 mm
100 x 35 mm



CUSCO
90 x 23-25 mm
100 x 25-27 mm
110 x 27-30 mm

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com




SIMS
15,0 cm, 6"



SIMS
15,0 cm, 6"



MATHIEU
21,0 cm, 8 1/4"



SMITH-BUIE
15,0 cm, 6"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



5,0 cm, 2"
 7,0 cm, 2 1/2"
 10,0 cm, 4"

DE MARTEL-WOLFSON



DE MARTEL-WOLFSON
 8,5 cm, 3 1/2"



DE MARTEL-WOLFSON
 26,0 cm, 10 1/4"



BABY-PAYR
 15,0 cm, 6"



PAYR



21,0 cm, 8 1/4"
 29,0 cm, 11 1/2"

E-mail: vetmedengineering@outlook.com
 Website: www.vetmedengineering.com
 Address: Wazirabad Road, Ugoki Sialkot
 Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



COUPLAND
17,0 cm, 6³/₄"



Ø 3,5 mm



YANKAUER
27,0 cm, 10⁵/₈"



DE BAKEY
27,0 cm, 10⁵/₈"



ANTHONY
26,0 cm, 10¹/₄"



ANDREWS-PYNCHON
24,0 cm, 9¹/₂"



COOLEY
35,0 cm, 13³/₄"
Ø 8,0 mm



COOLEY
30,0 cm, 11³/₄"
Ø 7,0 mm



COOLEY
31,0 cm, 11³/₄"
Ø 10,0 mm



COOLEY
33,0 cm, 13"
Ø 8,0 mm

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com

SCALPEL HANDLE



No. 4
13,5 cm, 5³/₈"



No. 4L
21,0 cm, 8³/₈"



No. 8
13,5 cm, 5³/₈"




No. 9
14,5 cm, 5⁷/₈"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



KRONECKER
15,0 cm, 6"



TRELAT
23,0 cm, 9"



CLAUS
23,0 cm, 9"



HURD
21,0 cm, 8 1/4"



HURD
21,0 cm, 8 1/4"



NAGER
24,0 cm, 9 1/2"



CLAUS-EICKEN
23,0 cm, 9"



FALK
24,0 cm, 9 1/2"





FALK
24,0 cm, 9 1/2"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan

VETMED ENGINEERING

E-mail: vetmedengineering@outlook.com
www.vetmedengineering.com



MAYO
17,0 cm, 6³/₄"



14,5 cm, 5³/₄"
18,0 cm, 7"
20,0 cm, 8"
23,0 cm, 9"

METZENBAUM



14,5 cm, 5³/₄"
18,0 cm, 7"
20,0 cm, 8"
23,0 cm, 9"

METZENBAUM-FINO



15,0 cm, 6"
19,0 cm, 7¹/₂"

KAYE FACE LIFT



JABALEY
13,0 cm, 5"



TOENNIS-ADSON
17,0 cm, 6³/₄"

E-mail: vetmedengineering@outlook.com
Website: www.vetmedengineering.com
Address: Wazirabad Road, Ugoki Sialkot
Pakistan